

Heavy Duty Prespray Plus

Version Number: 1 Preparation date: 2014-06-10

1. IDENTIFICATION

Product name: Heavy Duty Prespray Plus

Product Code: 93515034 **SDS #:** MS0800271

Recommended use: ¡ +bXi ghf]U#bgh]hi h]cbU

i '7 UfdYh7 UfY

i H\]g'dfcXi Wh]g']bh/bXYX'tc'VY'X]'i H'X'df]cf'tc'i gY **Uses advised against:**Uses other than those identified are not recommended

Manufacturer, importer, supplier:Canadian HeadquartersUS HeadquartersSealed Air - CanadaSealed Air3755 Laird Road

8215 Forest Point Blvd. Charlotte, NC 28273-5509 Phone: 1-888-352-2249

SDS Internet Address: https://sds.sealedair.com

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)


2. HAZARDS IDENTIFICATION

Mississauga, Ontario L5L 0B3

Phone: 1-800-668-3131

Classification for the undiluted product

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1



Signal Word: Danger.

Precautionary Statements

CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable



Classification for the diluted product @ 1:40

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Precautionary Statements

None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
2-Ethylhexyl sodium sulphate	126-92-1	5 - 10%
Alcohol ethoxylates	68439-46-3	5 - 10%
Diethylene glycol butyl ether	112-34-5	3% - < 5%
Sodium sulfate	7757-82-6	1% - < 3%
Sodium hydroxide	1310-73-2	> 0.1% - < 1%

^{*}Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Persons with pre-existing skin disorders may be more susceptible to irritating effects.

Diluted Product:

Eyes: Rinse with plenty of water If irritation occurs and persists, get medical attention.

Skin: Rinse with plenty of water If irritation occurs and persists, get medical attention.

Inhalation: No specific first aid measures are required

Ingestion: Rinse mouth with water.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before

Heavy Duty Prespray Plus 2 of 5

re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN. Aerosol Level (if applicable): Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS#	ACGIH	OSHA	
2-Ethylhexyl sodium sulphate	126-92-1	-	=	
Alcohol ethoxylates	68439-46-3	-	=	

Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: